


A photograph of a forest with tall, slender trees and a floor covered in moss and fallen branches. Sunlight filters through the canopy, creating a warm, golden glow. The text is overlaid in white, sans-serif font.

FEEL THE NATURE  
AT HOME

THE NEW WOOD  
PENDENT LIGHT  
SERIES






LPL229-CR



LPL230-GD



LPL230-WT







LPL229-BK

code LPL229-CR / LPL229-BK

surface customizable ■ concrete grey paint similar to RAL7037 ■ anodized gold brushed linear

casing aluminum+beech / chrome plated/black painting / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K 4000K/6000K


installation     IP20 lamp shade dia 80mm x 300mm 1.7meter cable / cable length customizable

code LPL230-WT / LPL230-GD

surface customizable ■ concrete grey paint similar to RAL7037 ■ anodized gold brushed linear

casing aluminum+beech / white painting/golden plated / lamping COB 12W / Ra>90 / 900LM / Beam 10/23/38 degree / 2700K/3000K 4000K/6000K


installation     IP20 lamp shade dia 150mm x 140mm 1.7meter cable / cable length customizable



LPL230-CR



LPL229-WT



LPL230-BK



LPL229-GD





code LPL229-WT / LPL229-GD

surface customizable

concrete grey paint similar to RAL7037

anodized gold brushed linear

casing aluminum+beech / white painting/golden plating / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K 4000K/6000K

installation     IP20 lamp shade dia 80mm x300mm 1.7meter cable / cable length customizable

code LPL230-CR / LPL230-BK





surface customizable

concrete grey paint similar to RAL7037

anodized gold brushed linear

casing aluminum+beech / chrome plated/black painting / lamping COB 12W / Ra>90 / 900LM / Beam 10/23/38 degree / 2700K/3000K 4000K/6000K

installation     IP20 lamp shade dia 150mm x140mm 1.7meter cable / cable length customizable



NO SHAPE  
NO BOUNDARIES  
NO LIMITS

THIS IS WHAT  
WE CALL  
MINIMALISM

THE MINIMALISM  
LED PENDENT LIGHT  
SERIES



LPL300-WT



LPL219-WT



LPL300-BK



LPL220-WT

code LPL218-WT / LPL218-BK

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting/black plating / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 60mm x300mm 1.7meter cable / cable length customizable

code LPL218-SL / LPL218-GD

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / anodized silver/ golden / lamping COB 5W / Ra>90 / 430LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 60mm x300mm 1.7meter cable / cable length customizable



LPL220-BK



LPL218-WT



LPL300-SL



LPL219-SL

code LPL219-WT / LPL219-BK

surface customizable ■ concrete grey paint similar to RAL7037

casing aluminum / white painting/black plating / lamping COB 9W / Ra>90 / 800LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 80mm x250mm 1.75meter cable / cable length customizable

code LPL219-SL / LPL219-GD

surface customizable ■ concrete grey paint similar to RAL7037

casing aluminum / anodized silver/ golden / lamping COB 9W / Ra>90 / 800LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 80mm x250mm 1.75meter cable / cable length customizable



LPL220-SL



LPL219-BK



LPL218-GD



LPL300-GD

code LPL220-WT / LPL220-BK

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / white painting/black plating / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 102mm x200mm 1.8meter cable / cable length customizable

code LPL220-SL / LPL220-GD

surface customizable  concrete grey paint similar to RAL7037

casing aluminum / anodized silver/ golden / lamping COB 12W / Ra>90 /900LM / Beam 10/23/38 degree / 2700K/3000K/4000K/6000K

installation     IP20 lamp shade dia 102mm x200mm 1.8meter cable / cable length customizable





LPL218-SL



LPL219-GD



LPL220-GD



LPL218-BK

code LPL300-WT / LPL300-BK

casing aluminum / white painting/black plating / E27 socket / bulb not included / Max 40W

surface customizable

■ concrete grey paint similar to RAL7037

installation     IP20 lamp shade dia 150mm x250mm 1.75meter cable / cable length customizable

code LPL300-SL / LPL300-GD


casing aluminum / anodized silver / anodized golden / E27 socket / bulb not included / Max 40W

surface customizable


■ concrete grey paint similar to RAL7037

installation     IP20 lamp shade dia 150mm x250mm 1.75meter cable / cable length customizable


# MEASUREMENTS FOR THE PENDENTS




LPL229




LPL230




LPL218



LPL219



LPL220



LPL300

# E27 SOCKET PENDENT LIGHT SERIES






code **LPL313-WT**  
 casing Steel  
 finishing outer/white painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable





**IP20**

**0.75kg**




code **LPL314-WT**  
 casing Steel  
 finishing outer/white painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable





**IP20**

**1.31kg**



code **LPL315-WT**  
 casing Steel  
 finishing outer/white painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable





 0.87kg




code **LPL316-WT**  
 casing Steel  
 finishing outer/white painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable





 0.98kg




code **LPL317-WT**  
 casing Steel  
 finishing outer/white painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable





 1.13kg




code **LPL317-BK**  
 casing Steel  
 finishing outer/black painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable






 1.13kg






code **LPL313-BK**  
 casing Steel  
 finishing outer/black painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable  
 ☑ Ⓢ CE ▼ IP20 ▲ 0.75kg




code **LPL314-BK**  
 casing Steel  
 finishing outer/black painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable  
 ☑ Ⓢ CE ▼ IP20 ▲ 1.31kg






code **LPL315-BK**  
 casing Steel  
 finishing outer/black painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable

**IP20**
 0.87kg



code **LPL316-BK**  
 casing Steel  
 finishing outer/black painting  
 inner/ white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable

**IP20**
 0.98kg



# PENDENT LIGHT SERIES






---

code **LPL364-BK** surface customizable  chrome plated  concrete grey paint similar to RAL7037  
 casing aluminum / black painting / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear  
 installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable

---


code **LPL364-WT** surface customizable  chrome plated  concrete grey paint similar to RAL7037  
 casing aluminum / white painting / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear  
 installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable

---

code **LPL364-GD** surface customizable  chrome plated  concrete grey paint similar to RAL7037  
 casing aluminum / <sup>black painting</sup> <sub>+anodized gold</sub> / Gu10 socket / bulb not included max 50W /  anodized silver brushed linear  
 installation     IP20 lamp shade dia 148mm x 200mm 2meter cable / cable length customizable

---





---

code [LPL366-BK](#)

casing aluminum / black painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable

---

code [LPL366-WT](#)

casing aluminum / white painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable

---

code [LPL366-GR](#)

casing aluminum / grey painting / 2xGu10 socket / bulb not included max 2x20W /

installation     IP20 lamp shade 104x180 x160mm 2meter cable / cable length customizable

---



---

code [LPL367-BK](#)

casing aluminum / black painting / 3xGu10 socket / bulb not included max 3x20W /

installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable

---

code [LPL367-WT](#)

casing aluminum / white painting / 3xGu10 socket / bulb not included max 3x20W /

installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable

---

code [LPL367-GR](#)

casing aluminum / grey painting / 3xGu10 socket / bulb not included max 3x20W /

installation     IP20 lamp shade 104x270 x160mm 2meter cable / cable length customizable

---










---

code [LPL368-BK](#)


casing aluminum / black painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable

---

code [LPL368-WT](#)



casing aluminum / white painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable

---

code [LPL368-GR](#)

casing aluminum / grey painting / 4xGu10 socket / bulb not included max 4x20W /

installation     IP20 lamp shade 180x260 x160mm 2meter cable / cable length customizable

---



---

code [LPL369-BK](#)

casing aluminum / black painting / 7xGu10 socket / bulb not included max 7x20W /

installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable

---

code [LPL369-WT](#)

casing aluminum / white painting / 7xGu10 socket / bulb not included max 7x20W /

installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable

---

code [LPL369-GR](#)


casing aluminum / grey painting / 7xGu10 socket / bulb not included max 7x20W /

installation     IP20 lamp shade 270x260 x160mm 2meter cable / cable length customizable


---




# MEASUREMENTS FOR THE PENDENTS




LPL364




LPL366



LPL367



LPL368





LPL369

A close-up photograph of a modern pendent light fixture. The fixture is made of antique bronzed metal, featuring a wide, shallow, conical shade at the top and a cylindrical stem that tapers towards the bottom. A black cord is attached to the top of the stem. The lighting is soft and focused on the fixture, highlighting its metallic texture and geometric forms against a plain white background.


ANTIQUE  
BRONZED  
PENDENT  
LIGHT  
SERIES






code **LPL317-HG**  
 casing Steel  
 finishing outer/red antique bronzed  
 inner/ matt black painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable

IP20
 
 1.13kg




code **LPL314-HG**  
 casing Steel  
 finishing outer/red antique bronzed  
 inner/ matt black painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable

IP20
 
 1.31kg




code **LPL315-HG**  
 casing Steel  
 finishing outer/red antique bronzed  
 inner/ matt black painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable  
 ☑ Ⓢ Ⓢ IP20 ⚠ 0.87kg



code **LPL316-HG**  
 casing Steel  
 finishing outer/red antique bronzed  
 inner/ matt black painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable  
 ☑ Ⓢ Ⓢ IP20 ⚠ 0.98kg









code **LPL314-QG**  
 casing Steel  
 finishing outer/ antique bronzed  
 inner/ matt white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable

IP20
 1.31kg





code **LPL315-HG**  
 casing Steel  
 finishing outer/ antique bronzed  
 inner/ matt white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable

IP20
 0.87kg



code **LPL316-QG**  
 casing Steel  
 finishing outer/antique bronzed  
 inner/ matt white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable  
 ☐ Ⓢ CE ⚠ IP20 ▲ 0.98kg



code **LPL317-QG**  
 casing Steel  
 finishing outer/ antique bronzed  
 inner/ matt white painting  
 lamping E27 Socket  
 installation ceiling surface mount  
 black fabric cable 1M long customizable  
 ☐ Ⓢ CE ⚠ IP20 ▲ 1.13kg



NEW  
GU10  
CASING  
SPOT/WALL  
PENDENT  
SERIES

A modern interior hallway with a curved wall, track lighting, and a window with dark curtains. The text is overlaid on the right side of the image.

SIMPLE  
IS  
GOOD  
AND MORE  
THEY  
ARE  
AFFORD-  
ABLE




code **DS001-BK**  
 casing aluminum  
 finishing black paint  
 lamping Gu 10 Socket  
 supplied with a  
 5W LED Gu 10 bulb  
 Lumens 430LM  
 CRI Ra>80  
 Beam 30 degree  
 lamp color 2700K/~~3000K~~/4000K/6000K  
 Input AC 100-240V  
 installation surface mount



▲ Net Weight 0.41kg

lens available



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037




code **DS001-WT**  
 casing aluminum  
 finishing White paint  
 lamping Gu 10 Socket  
 supplied with a  
 5W LED Gu 10 bulb  
 Lumens 430LM  
 CRI Ra>80  
 Beam 30 degree  
 lamp color 2700K/~~3000K~~/4000K/6000K  
 Input AC 100-240V  
 installation surface mount



▲ Net Weight 0.41kg

lens available



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037





code **DS001-SL**  
 casing aluminum  
 finishing anodized silver  
 lamping Gu10 Socket  
 supplied with a  
 5W LED Gu10 bulb  
 Lumens 430LM  
 CRI Ra>80  
 Beam 30 degree  
 lamp color 2700K/3000K/4000K/6000K  
 Input AC100-240V  
 installation surface mount



▲ Net Weight 0.41kg

lens available



surface customizable

- chrome plated
- concrete grey paint similar to RAL7037





code **DS001-GD**  
 casing aluminum  
 finishing anodized gold  
 lamping Gu10 Socket  
 supplied with a  
 5W LED Gu10 bulb  
 Lumens 430LM  
 CRI Ra>80  
 Beam 30 degree  
 lamp color 2700K/3000K/4000K/6000K  
 Input AC100-240V  
 installation surface mount



▲ Net Weight 0.41kg

lens available




surface customizable

- chrome plated
- concrete grey paint similar to RAL7037











C008






	<p>code <b>DS004-GD</b>  casing aluminum / anodized gold  lamping 4XGU10 socket/supplied with 4 Gu10 5W led bulbs/ Ra&gt;80 2700K/3000K/4000K/6000K /1720lm  Beam 30 degree</p>	<p>surface customizable  <span style="display: inline-block; width: 10px; height: 10px; background-color: grey; margin-right: 5px;"></span> concrete grey paint similar to RAL7037</p>	<p>reflector available default <b>30°</b> flood  Gu10 bulb can be easily changed  lamp can also be supplied without led bulbs and only casing</p>
---	---	--	---




	<p>code <b>DS004-SL</b>  casing aluminum / anodized silver  lamping 4XGU10 socket/supplied with 4 Gu10 5W led bulbs/ Ra&gt;80 2700K/3000K/4000K/6000K /1720lm  Beam 30 degree</p>	<p>surface customizable  <span style="display: inline-block; width: 10px; height: 10px; background-color: grey; margin-right: 5px;"></span> concrete grey paint similar to RAL7037</p>	<p>reflector available default <b>30°</b> flood  Gu10 bulb can be easily changed  lamp can also be supplied without led bulbs and only casing</p>
---	---	--	---



	<p>code <b>DS004-WT</b>  casing aluminum / white painting  lamping 4XGU10 socket/supplied with 4 Gu10 5W led bulbs/ Ra&gt;80 2700K/3000K/4000K/6000K /1720lm  Beam 30 degree</p>	<p>surface customizable  <span style="display: inline-block; width: 15px; height: 15px; background-color: #444; border: 1px solid #000; margin-right: 5px;"></span> concrete grey paint similar to RAL7037</p>	<p>reflector available default   Gu10 bulb can be easily changed  lamp can also be supplied without led bulbs and only casing</p>
--	--	--	--



	<p>code <b>DS004-BK</b>  casing aluminum / black painting  lamping 4XGU10 socket/supplied with 4 Gu10 5W led bulbs/ Ra&gt;80 2700K/3000K/4000K/6000K /1720lm  Beam 30 degree</p>	<p>surface customizable  <span style="display: inline-block; width: 15px; height: 15px; background-color: #444; border: 1px solid #000; margin-right: 5px;"></span> concrete grey paint similar to RAL7037</p>	<p>reflector available default   Gu10 bulb can be easily changed  lamp can also be supplied without led bulbs and only casing</p>
--	--	--	--



	<p>code <b>DS003-GD</b>  casing aluminum / anodized gold  lamping 3XGU10 socket/supplied with  3 Gu10 5W led bulbs/ Ra&gt;80  2700K/3000K/4000K/6000K  /1290lm  Beam 30 degree</p>	<p>surface customizable  <span style="display: inline-block; width: 10px; height: 10px; background-color: grey; margin-right: 5px;"></span> concrete grey paint  similar to RAL7037</p>	<p>reflector available default  <span style="display: inline-block; width: 10px; height: 10px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></span> 30°  flood  Gu10 bulb can be easily changed  lamp can also be supplied without led bulbs and only casing</p>
--	--	---	--



	<p>code <b>DS003-SL</b>  casing aluminum / anodized silver  lamping 3XGU10 socket/supplied with  3 Gu10 5W led bulbs/ Ra&gt;80  2700K/3000K/4000K/6000K  /1290lm  Beam 30 degree</p>	<p>surface customizable  <span style="display: inline-block; width: 10px; height: 10px; background-color: grey; margin-right: 5px;"></span> concrete grey paint  similar to RAL7037</p>	<p>reflector available default  <span style="display: inline-block; width: 10px; height: 10px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></span> 30°  flood  Gu10 bulb can be easily changed  lamp can also be supplied without led bulbs and only casing</p>
--	--	---	--



	<p>code <b>DS003-WT</b>  casing aluminum / white painting  lamping 3XGU10 socket/supplied with  3 Gu10 5W led bulbs/ Ra&gt;80  2700K/3000K/4000K/6000K  /1290lm  Beam 30 degree</p>	<p>surface customizable  <span style="display: inline-block; width: 15px; height: 15px; background-color: #444; border: 1px solid #000; margin-right: 5px;"></span> concrete grey paint similar to RAL7037</p>	<p>reflector available default  <span style="display: inline-block; width: 15px; height: 15px; background-color: #fff; border: 1px solid #000; margin-right: 5px; text-align: center; vertical-align: middle;">30°</span>  flood  Gu10 bulb can be easily changed  lamp can also be supplied without led bulbs and only casing</p>
--	---	--	--



	<p>code <b>DS003-BK</b>  casing aluminum / black painting  lamping 3XGU10 socket/supplied with  3 Gu10 5W led bulbs/ Ra&gt;80  2700K/3000K/4000K/6000K  /1290lm  Beam 30 degree</p>	<p>surface customizable  <span style="display: inline-block; width: 15px; height: 15px; background-color: #444; border: 1px solid #000; margin-right: 5px;"></span> concrete grey paint similar to RAL7037</p>	<p>reflector available default  <span style="display: inline-block; width: 15px; height: 15px; background-color: #fff; border: 1px solid #000; margin-right: 5px; text-align: center; vertical-align: middle;">30°</span>  flood  Gu10 bulb can be easily changed  lamp can also be supplied without led bulbs and only casing</p>
--	---	--	--



code	DS002-GD
casing	aluminum / anodized gold
lamping	2XGU10 socket/supplied with 2 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /860lm
Beam	30 degree



code	DS002-SL
casing	aluminum / anodized silver
lamping	2XGU10 socket/supplied with 2 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /860lm
Beam	30 degree



code	DS002-WT
casing	aluminum / white painting
lamping	2XGU10 socket/supplied with 2 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /860lm
Beam	30 degree



code	DS002-BK
casing	aluminum / black painting
lamping	2XGU10 socket/supplied with 2 Gu10 5W led bulbs/ Ra>80 2700K/3000K/4000K/6000K /860lm
Beam	30 degree


surface customizable

■ concrete grey paint similar to RAL7037

Gu10 bulb can be easily changed  
lamp can also be supplied without led bulbs and only casing







code DS005-GD  
 casing aluminum  
 finishing Anodized gold  
 lamping Gu 10 Socket  
 supplied with 5W led bulb  
 Lumens 430LM  
 CRI Ra>80  
 Beam 30 degree  
 lamp color 2700K/3000K/4000K/6000K  
 Input AC 100-240V  
 installation single circuit/2 line track  
 3-line with earth customizable




Net Weight 0.33kg

lens available

default



flood



code DS005-BK  
 casing aluminum  
 finishing black painting  
 lamping Gu 10 Socket  
 supplied with 5W led bulb  
 Lumens 430LM  
 CRI Ra>80  
 Beam 30 degree  
 lamp color 2700K/3000K/4000K/6000K  
 Input AC 100-240V  
 installation single circuit/2 line track  
 3-line with earth customizable




Net Weight 0.33kg

lens available

default



flood



code DS005-WT  
 casing aluminum  
 finishing white painting  
 lamping Gu 10 Socket  
 supplied with 5W led bulb  
 Lumens 430LM  
 CRI Ra>80  
 Beam 30 degree  
 lamp color 2700K/3000K/4000K/6000K  
 Input AC100-240V  
 installation single circuit/2 line track  
 3-line with earth customizable




Net Weight 0.33kg

lens available

default



flood



code DS005-SL  
 casing aluminum  
 finishing Anodized silver  
 lamping Gu 10 Socket  
 supplied with 5W led bulb  
 Lumens 430LM  
 CRI Ra>80  
 Beam 30 degree  
 lamp color 2700K/3000K/4000K/6000K  
 Input AC100-240V  
 installation single circuit/2 line track  
 3-line with earth customizable




Net Weight 0.33kg

lens available

default




flood



code **DS031-BK**  
 casing aluminum / black painting  
 lamping Gu10 socket supplied with  
 a 5W LED bulb/ Ra>80 /430LM  
 Beam 30 degree /  
 2700K/~~3000K~~/4000K/6000K  
 installation IP20

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold brushed circular



code **DS032-BK**  
 casing aluminum / black painting  
 lamping 2xGu10 socket supplied with  
 2x 5W LED bulbs/ Ra>80 /860LM  
 Beam 30 degree /  
 2700K/~~3000K~~/4000K/6000K  
 installation IP20

surface customizable

- concrete grey paint similar to RAL7037
- anodized gold brushed circular



D60X110MM  
DS006-BK



D60X200MM  
DS007-BK



D60X300MM  
DS008-BK




D60X400MM  
DS009-BK

---

code DS006-BK / DS007-BK / DS008-BK / DS009-BK

casing aluminum / black painting / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X400MM  
DS009-WT



D60X300MM  
DS008-WT



D60X200MM  
DS007-WT




D60X110MM  
DS006-WT

---

code DS006-WT / DS007-WT / DS008-WT / DS009-WT

casing aluminum / white painting / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X110MM  
DS006-GD



D60X400MM  
DS009-GD



D60X300MM  
DS008-GD



D60X200MM  
DS007-DG

---

code DS006-GD / DS007-GD / DS008-GD / DS009-GD

casing aluminum / anodized gold / lamping Gu 10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1 meter cable / cable length customizable / can be customized to be FABRIC CABLE



D60X200MM  
DS007-SL



D60X300MM  
DS008-SL



D60X400MM  
DS009-SL



D60X110MM  
DS006-SL

---

code DS006-SL / DS007-SL / DS008-SL / DS009-SL


casing aluminum / anodized silver / lamping Gu10 socket / supplied with 5W LED bulb / Ra>80 / 430LM / Beam 30 degree / 3000K

installation     IP20 1 meter cable / cable length customizable / can be customized to be FABRIC CABLE



# LED PENDENT LIGHTS





● **HL012-WT**


material: aluminium  
 CREE LED 3W / WW  
 Ra90 / 170lm / 30 °  
 incl. power supply  
 IP20 / class I / CE  
 White painting  
 3000K/4000K/6000K

● **HL012-BK**

Anodized black







● *LPL045-WT*

material: aluminium  
LED 3W / WW  
Ra90 / 170lm / 30 °  
incl. power supply  
IP20 / class I / CE  
White painting  
3000K/4000K/6000K

● *LPL045-BK*

Anodized black



- *LPL268-BK*  
material: aluminium  
and beech rod  
CREE LED 3W / WW  
Ra80 / 120lm / 30°  
incl. power supply  
IP20 / class I / CE  
anodized black  
2700K/3000K/4000K/6000K
- *LPL268-CR*  
Crome plated
- *LPL268-WT*  
White painting

● *LPL264-BK*


material: steel  
and acrylic diffuser  
COB LED 5W / WW  
Ra80 / 430lm  
incl. power supply  
IP20 / class I / CE  
black painting  
2700K/3000K/4000K/6000K

● *LPL264-CR*

Chrome plated

● *LPL264-WT*

White painting








*SIMPLICITY IS  
THE BEST BEAUTY*

*Aluminium solid  
long hanging lamp  
2meter dia3.8mm  
hanging cable  
10 degree reflector*

- *LPL287-BK*  
material: aluminium  
COB LED 5W / WW  
Ra80 / 430lm/10°  
incl. power supply  
IP20 / class I / CE  
anodized black  
2700K/3000K  
/4000K/6000K
- *LPL288-BK*
- *LPL286-BK*
- *LPL290-BK*



LPL286

LPL287

LPL288

LPL290

● **LPL286-WT**

material: aluminium  
 COB LED 5W / WW  
 Ra80 / 430lm/10°  
 incl. power supply  
 IP20 / class I / **CE**  
 white painting  
 2700K/3000K  
 /4000K/6000K

● **LPL287-WT**

material: aluminium  
 COB LED 5W / WW  
 Ra80 / 430lm/10°  
 incl. power supply  
 IP20 / class I / **CE**  
 white painting  
 2700K/3000K  
 /4000K/6000K


● **LPL288-WT**

material: aluminium  
 COB LED 5W / WW  
 Ra80 / 430lm/10°  
 incl. power supply  
 IP20 / class I / **CE**  
 white painting  
 2700K/3000K  
 /4000K/6000K

● **LPL290-WT**


material: aluminium  
 COB LED 5W / WW  
 Ra80 / 430lm/10°  
 incl. power supply  
 IP20 / class I / **CE**  
 white painting  
 2700K/3000K  
 /4000K/6000K






● **LPL149**

material: aluminium  
LED 3W / WW  
Ra90 / 366lm / 30 °  
incl. power supply  
IP20 / class I / **CE**  
anodized black  
3000K/4000K/6000K



● **LPL150**


material: aluminium  
LED 6W / WW  
Ra90 / 732lm / 30 °  
incl. power supply  
IP20 / class I / **CE**  
anodized black  
3000K/4000K/6000K



● **LPL151**

material: aluminium  
LED 9W / WW  
Ra90 / 1098lm / 30°  
incl. power supply  
IP20 / class I / **CE**  
anodized black  
3000K/4000K/6000K






● *LPL118*

material: aluminium  
LED 3W / WW  
Ra90 / 366lm / 30 °  
incl. power supply  
IP20 / class I /   
White painting  
3000K/4000K/6000K






● *LPL002*


material: aluminium  
CREE LED 3W / WW  
Ra90 / 170lm / 30 °  
incl. power supply  
IP20 / class I / **CE**  
anodized silver  
3000K/4000K/6000K









● *LPL042*


material: aluminium  
LED 3W / WW  
Ra90 / 170lm / 30 °  
incl. power supply  
IP20 / class I /   
anodized silver  
3000K/4000K/6000K



● *LPL043*

material: aluminium  
LED 3W / WW  
Ra90 / 170lm / 30 °  
incl. power supply  
IP20 / class I /   
anodized silver  
3000K/4000K/6000K







*BAYMAX SERIES  
HANGING LAMP*

● **LPL262**

material: aluminium  
COB LED 5W / WW  
Ra85 / 430lm / 23°  
incl. power supply  
IP20 / class I /   
white painting  
3000K/4000K/6000K



● **LPL263**

material: aluminium  
COB LED 12W / WW  
Ra85 / 900lm / 23°  
incl. power supply  
IP20 / class I /   
white painting  
3000K/4000K/6000K








● **LPL119**

material: aluminium  
COB LED 5W / WW  
Ra85 / 500lm / 38°  
incl. power supply  
IP20 / class I / **CE**  
white painting  
3000K/4000K/6000K




● **LPL120**

material: aluminium  
COB LED 13W / WW  
Ra85 / 1300lm / 38°  
incl. power supply  
IP20 / class I / **CE**  
white painting  
3000K/4000K/6000K









● *LPL046SQ*

material : aluminium  
LED 24W / WW  
Ra90 / 2400lm / 30°  
incl. power supply  
IP20 / class I / CE  
White painting  
3000K/4000K/6000K




● **LPL011**

material: aluminium  
 LED 12W / WW  
 Ra85 / 1200lm / 30°  
 incl. power supply  
 IP20 / class I / **CE**  
 White painting  
 3000K/4000K/6000K



● **LPL012**

material: aluminium  
 LED 18W / WW  
 Ra85 / 1800lm / 30°  
 incl. power supply  
 IP20 / class I / **CE**  
 White painting  
 3000K/4000K/6000K




● **LPL013**

material: aluminium  
 LED 24W / WW  
 Ra85 / 2400lm / 30°  
 incl. power supply  
 IP20 / class I / **CE**  
 White painting  
 3000K/4000K/6000K









● **LPL148**

material: aluminium  
CREE LED 27W / WW  
Ra90 / 1530lm / 60°  
incl. power supply  
IP20 / class I / CE  
White painting  
3000K/4000K/6000K




● **LPL147**

material: aluminium  
CREE LED 27W / WW  
Ra90 / 1530lm / 60°  
incl. power supply  
IP20 / class I / CE  
White painting  
3000K/4000K/6000K




● **LPL139-WT**

material: aluminium  
 CREE LED 12W / WW  
 Ra90 / 840lm / 30°  
 incl. power supply  
 IP20 / class I / **CE**  
 White painting  
 3000K/4000K/6000K




● **LPL140-BK**

material: aluminium  
 CREE LED 24W / WW  
 Ra90 / 1680lm / 30°  
 incl. power supply  
 IP20 / class I / **CE**  
 black painting  
 3000K/4000K/6000K



● *LPL139-BK*

material: aluminium  
CREE LED 12W / WW  
Ra90 / 840lm / 30°  
incl. power supply  
IP20 / class I / **CE**  
black painting  
3000K/4000K/6000K



● *LPL140-WT*

material: aluminium  
CREE LED 24W / WW  
Ra90 / 1680lm / 30°  
incl. power supply  
IP20 / class I / **CE**  
White painting  
3000K/4000K/6000K





#### ● LPL190

material : aluminium  
 COB LED 5W / WW  
 Ra85 / 500lm / 38°  
 incl. power supply  
 IP20 / class I / **CE**  
 brushed silver

3000K/4000K/6000K  
 The black front cover can be  
 thread up and down  
 to shape the light



#### ● LPL191


material : aluminium  
 COB LED 13W / WW  
 Ra85 / 1300lm / 38°  
 incl. power supply  
 IP20 / class I / **CE**  
 brushed silver

3000K/4000K/6000K  
 The black front cover can be  
 thread up and down  
 to shape the light




● **LPL185**

material: aluminium  
COB LED 5W / WW  
Ra85 / 500lm / 38°  
incl. power supply  
IP20 / class I / **CE**  
brushed silver  
3000K/4000K/6000K



● **LPL186**

material: aluminium  
COB LED 13W / WW  
Ra85 / 1300lm / 38°  
incl. power supply  
IP20 / class I / **CE**  
brushed silver  
3000K/4000K/6000K



● *LPL159-SL*

material: aluminium  
SMD LED 20W / WW  
Ra85 / 2000lm /  
incl. power supply  
IP20 / class I / **CE**  
brushed silver  
3000K/4000K/6000K

● *LPL159-WT*

white painting




*although this series is boring, simple, just as the same as a series came from any other supplies. The same aluminium extrusion, the same style, the same thin lamp body and same looking. however, LED make it another lamp, 16W SMD led gives as much as the 1600lumens output ,which is the same as a 32W fluorescent tube gives, while the consumption is half.*

*LED is not the ultimate terminal for energy-saving. The point is how people is thinking. Passun devote its designing philosophy in every aspect. We insist on not only saving on the lamp source, but also in material consumption. We always make sure that the material to make the lamp is just sufficient, no more to waste, and no less.*

*This lamp is design to fulfill the basic lighting requirement for the office, 1600lm is just enough for a 1.4m desk and no more is needed. Three lamp colors could be customer made according to different office style.*









● **LPL160-SL**

material: aluminium  
 SMD LED 40W / WW  
 Ra85 / 4000lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 brushed silver  
 3000K/4000K/6000K




● **LPL161-SL**

material: aluminium  
 SMD LED 40W / WW  
 Ra85 / 4000lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 brushed silver  
 3000K/4000K/6000K



● *LPL160-WT*

material: aluminium  
SMD LED 40W / WW  
Ra85 / 4000lm /  
incl. power supply  
IP20 / class I /  $\text{CE}$   
painted white  
3000K/4000K/6000K



● **LPL161-WT**

material: aluminium  
SMD LED 40W / WW  
Ra85 / 4000lm /  
incl. power supply  
IP20 / class I / **CE**  
white painting  
3000K/4000K/6000K

● **LPL161-SL**

material: aluminium  
SMD LED 40W / WW  
Ra85 / 4000lm /  
incl. power supply  
IP20 / class I / **CE**  
brushed silver  
3000K/4000K/6000K






17X27MM, the size defines the lamp is a stylish pendants, the lamp body is extremely compressed to fit a LED dot lamp. A fluorescent lamp will not fit in this size.



However, emaciated body gives astonishing light power, as much as 2400 lumens output, which can light up any application field without any difficulty. For some circumstances like right pictures showing, it is best choice.

● LPL142

material : aluminium  
LED 24W / WW  
Ra85 / 2400lm / 30°  
incl. power supply  
IP20 / class I / CE  
anodized black  
3000K/4000K/6000K









● *LPL142A*

material: aluminium  
LED 24W / WW  
Ra85 / 2400lm  
incl. power supply  
IP20 / class I / **CE**  
anodized black  
3000K/4000K/6000K  
Without lense  
acrylic sheet cover



● **LPL159-BK**


material: aluminium  
 SMD 20W / WW  
 Ra80 / 2000lm  
 incl. power supply  
 IP20 / class I / **CE**  
 anodized brushed black  
 3000K/4000K/6000K  
 acrylic sheet cover



● **LPL161-BK**

material: aluminium  
 SMD 40W / WW  
 Ra80 / 4000lm  
 incl. power supply  
 IP20 / class I / **CE**  
 anodized brushed black  
 3000K/4000K/6000K  
 acrylic sheet cover





● **LPL160-BK**

material: aluminium  
 SMD 40W / WW  
 Ra80 / 4000lm  
 incl. power supply  
 IP20 / class I / **CE**  
 anodized brushed black  
 3000K/4000K/6000K  
 acrylic sheet cover

● **LQL004-BK**

material: aluminium  
 SMD 40W / WW  
 Ra80 / 4000lm  
 incl. power supply  
 IP20 / class I / **CE**  
 Painted black  
 3000K/4000K/6000K  
 led pannel pendant light  
 for office  
 1200x300mm  
 with 1.2m haning cable



● *LQL004-SL*

material: aluminium  
SMD 40W / WW  
Ra80 / 4000lm  
incl. power supply  
IP20 / class I / **CE**  
Panited silver  
3000K/4000K/6000K  
led pannel pendent light  
for office  
1200x300mm  
with 1.2m haning cable




● *LQL004-WT*


material: aluminium  
SMD 40W / WW  
Ra80 / 4000lm  
incl. power supply  
IP20 / class I / **CE**  
Panited white  
3000K/4000K/6000K  
led pannel pendent light  
for office  
1200x300mm  
with 1.2m haning cable



● **LPL211**

material : aluminium  
head and steel shade  
LED 6X6X1W / WW  
Ra85 / 3600lm / 30°  
incl. power supply  
IP20 / class I / CE  
black painting  
3000K/4000K/6000K





● *LPL210*

material: aluminium  
head and steel shade  
LED 4X6X1W / WW  
Ra85 / 2400lm / 30°  
incl. power supply  
IP20 / class I / CE  
black painting  
3000K/4000K/6000K





*CERAMIC SHADE  
LED PEDENTS  
CREE COB 5W  
500LM DIRECT LIGHT  
SPECIAL EDITIONS  
CONSULT WITH SALES  
BEFORE MAKE A ORDER*



● **LPL215**

material: ceramic  
shade and aluminium  
heat sink  
COB LED 5W / WW  
Ra85 / 500lm  
incl. power supply  
IP20 / class I / **CE**  
3000K/4000K/6000K




● **LPL216**

material: ceramic  
shade and aluminium  
heat sink  
COB LED 5W / WW  
Ra85 / 500lm  
incl. power supply  
IP20 / class I / **CE**  
3000K/4000K/6000K




● **LPL217**

material: ceramic  
shade and aluminium  
heat sink  
COB LED 5W / WW  
Ra85 / 500lm  
incl. power supply  
IP20 / class I / **CE**  
3000K/4000K/6000K



- **LPL206-BK**  
material: aluminium  
Acrylic diffuser  
SMD LED 4W / WW  
Ra80 / 400lm  
incl. power supply  
IP20 / class I / **CE**  
Anodized black  
3000K/4000K/6000K
- **LPL206-WT**  
White painting
- **LPL206-CR**  
Chrome plated



● **LPL162**

material: steel shade  
and aluminium heat sink  
COB LED 9W / WW  
Ra85 / 900lm /  
incl. power supply  
IP20 / class I /   
painted black  
3000K/4000K/6000K



● **LPL164**


material: steel shade  
and aluminium heat sink  
COB LED 9W / WW  
Ra85 / 900lm /  
incl. power supply  
IP20 / class I /   
painted black  
3000K/4000K/6000K



● **LPL163**


material: steel shade  
and aluminium heat sink  
COB LED 9W / WW  
Ra85 / 900lm /  
incl. power supply  
IP20 / class I /   
painted black  
3000K/4000K/6000K

*We adopt CREE COB led 9W, which can give 900lm direct light, and Ra85 color rendering index. The difference between this series and competing products is we put the light directly downward without any diffuser, so that it has got the minimum light lost and best efficiency. The performance of this light is obviously better than the ones using fluorescent tube or energy-saving lamp.*



● **LPL222**

material: steel shade  
and aluminium heat sink  
COB LED 9W / WW  
Ra85 / 900lm /  
incl. power supply  
IP20 / class I / **CE**  
painted black  
3000K/4000K/6000K



● **LPL223**

material: steel shade  
and aluminium heat sink  
COB LED 9W / WW  
Ra85 / 900lm /  
incl. power supply  
IP20 / class I / **CE**  
painted black  
3000K/4000K/6000K



● **LPL221**

material: steel shade  
and aluminium heat sink  
COB LED 9W / WW  
Ra85 / 900lm /  
incl. power supply  
IP20 / class I / **CE**  
painted black  
3000K/4000K/6000K














*COB LED HIGHBAY  
UP TO 20/30W  
2000/3000LM OUTPUT  
CRYSTAL SHADE*

*We adopt CREE COB 1512 20W, which can give 2000lm direct light, and Ra85 color rendering index.*

*The difference between this series and competing products is we put the light directly downward without any diffuser, so that it has got the minimum light lost and best efficiency. The performance of this light is obviously better than the ones using fluorescent tube or energy-saving lamp.*


*Customer also can choose higher power up to 30W, we will use CREE COB 2520, which gives 3000lm output.*

*There are two option for the shade, crystal or steel, and also for steel case you will have many option for the shade color. Customized shade color is also welcome.*



● **LPL301**

material: aluminium  
crystal lamp shade  
CREE COB 20W / WW  
Ra85 / 1800lm / 38°  
incl. power supply  
IP40 / class I / CE  
Anodized silver  
3000K/4000K/6000K



● **LPL302 series**  
steel shade



*COB LED HIGHBAY  
UP TO 20/30W  
2000/3000LM OUTPUT  
STEEL SHADE*

● *LPL302-BK*

material: aluminium  
Steel lamp shade  
CREE COB 20W / WW  
Ra85 / 1800lm /38°  
incl. power supply  
IP40 / class I / **CE**  
Black painting  
3000K/4000K/6000K



● *LPL302-BK*

material: aluminium  
Steel lamp shade  
CREE COB 20W / WW  
Ra85 / 1800lm /38°  
incl. power supply  
IP40 / class I / **CE**  
White painting  
3000K/4000K/6000K



● *LPL302-RD*  
Red painting

*COB LED HIGHBAY  
UP TO 20/30W  
2000/3000LM OUTPUT  
STEEL SHADE  
IN COLORS*



● *LPL302-YW*  
Yellow painting




● *LPL302-GN*  
Green painting












● **LPL152-BK**

material: aluminium  
 CREE LED 6W / WW  
 Ra90 / 732lm /  
 30 degree beam  
 incl. power supply  
 IP20 / class I / **CE**  
 anodized black  
 3000K/4000K/6000K

● **LPL152-WT**

coated white




LPL-154

● **LPL154-BK**

material: aluminium  
 CREE LED 6W / WW  
 Ra90 / 732lm /  
 30 degree beam  
 incl. power supply  
 IP20 / class I / **CE**  
 anodized black  
 3000K/4000K/6000K

● **LPL154-WT**

coated white




● **LPL153-BK**

material: aluminium  
 CREE LED 6W / WW  
 Ra90 / 732lm /  
 30 degree beam  
 incl. power supply  
 IP20 / class I / **CE**  
 anodized black  
 3000K/4000K/6000K

● **LPL153-WT**

coated white




● **LPL155-BK**

material: aluminium  
 CREE LED 6W / WW  
 Ra90 / 732lm /  
 30 degree beam  
 incl. power supply  
 IP20 / class I / **CE**  
 anodized black  
 3000K/4000K/6000K

● **LPL155-WT**


coated white





● **LPL176**

material: aluminium  
 COB LED 5W / WW  
 Ra85 / 500lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 anodized silver  
 3000K/4000K/6000K



● **LPL177**

material: aluminium  
 COB LED 3x5W / WW  
 Ra85 / 1500lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 anodized silver  
 3000K/4000K/6000K








● **LPL174**

material: aluminium  
COB LED 5W / WW  
Ra85 / 500lm /  
incl. power supply  
IP20 / class I / **CE**  
acrylic lamp shade  
anodized silver  
3000K/4000K/6000K



● **LPL175**

material: aluminium  
COB LED 3x5W / WW  
Ra85 / 1500lm /  
incl. power supply  
IP20 / class I / **CE**  
acrylic lamp shade  
anodized silver  
3000K/4000K/6000K



● **LPL236**


material: aluminium  
 COB LED 5W / WW  
 Ra85 / 500lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 anodized black  
 3000K/4000K/6000K

● **LPL237**

material: aluminium  
 COB LED 5W / WW  
 Ra85 / 500lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 anodized black  
 3000K/4000K/6000K

● **LPL238**

material: aluminium  
 COB LED 5W / WW  
 Ra85 / 500lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 anodized black  
 3000K/4000K/6000K




● *LPL239*

material: aluminium  
COB LED 3x5W / WW  
Ra85 / 1500lm /  
incl. power supply  
IP20 / class I / **CE**  
acrylic lamp shade  
anodized black  
3000K/4000K/6000K








● *LPL156*

material: aluminium  
 COB LED 5W / WW  
 Ra85 / 500lm / 38 degree  
 incl. power supply  
 IP20 / class I / CE  
 glass lamp shade  
 anodized silver  
 3000K/4000K/6000K




● *LPL157*

material: aluminium  
 COB LED 5W / WW  
 Ra85 / 500lm / 38degree  
 incl. power supply  
 IP20 / class I / CE  
 anodized silver  
 3000K/4000K/6000K



● **LPL187**

material: aluminium  
CREE LED 3W / WW  
Ra90 / 170lm /  
incl. power supply  
IP20 / class I / **CE**  
acrylic lamp shade  
anodized black  
3000K/4000K/6000K




● **LPL188**

material: aluminium  
CREE LED 3x3W / WW  
Ra90 / 510lm /  
incl. power supply  
IP20 / class I / **CE**  
acrylic lamp shade  
anodized black  
3000K/4000K/6000K




● **LPL202**

material: aluminium  
SMD LED 4.5W / WW  
Ra80 / 450lm /  
incl. power supply  
IP20 / class I / **CE**  
acrylic lamp shade  
anodized silver  
3000K/4000K/6000K




● **LPL203**

material: aluminium  
SMD LED 3x4.5W / WW  
Ra80 / 1350lm /  
incl. power supply  
IP20 / class I / **CE**  
acrylic lamp shade  
anodized silver  
3000K/4000K/6000K



● **LPL204**


material: aluminium  
 SMD LED 5x4.5W / WW  
 Ra80 / 2250lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 anodized silver  
 3000K/4000K/6000K



● **LPL205**


material: aluminium  
 SMD LED 5x4.5W / WW  
 Ra80 / 2250lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 anodized silver  
 3000K/4000K/6000K






● **LPL194**

material: aluminium  
SMD LED 5x4.5W / WW  
Ra80 / 2250lm /  
incl. power supply  
IP20 / class I /  $\text{CE}$   
acrylic lamp shade  
Chrome coated  
3000K/4000K/6000K




● **LPL193**

material: aluminium  
 SMD LED 27W / WW  
 Ra80 / 2700lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 Chrome coated  
 3000K/4000K/6000K



● **LPL195**

material: aluminium  
 SMD LED 27W / WW  
 Ra80 / 2700lm /  
 incl. power supply  
 IP20 / class I / **CE**  
 acrylic lamp shade  
 Chrome coated  
 3000K/4000K/6000K



● *LPL201-WT*

material: aluminium  
CREE LED 1W / WW  
Ra80 / 122lm / 30 degree  
incl. power supply  
IP20 / class I /  $\text{CE}$   
painted white  
3000K/4000K/6000K


● *LPL201-BK*

anodized black

● *LPL201-RD*


Red painting






● **LPL196**

material: aluminium  
 CREE LED 18W / WW  
 Ra80 / 1800lm  
 incl. power supply  
 IP20 / class I / **CE**  
 cromed  
 3000K/4000K/6000K




● **LPL197**

material: aluminium  
 LED 18W / WW  
 Ra80 / 1800lm  
 incl. power supply  
 IP20 / class I / **CE**  
 cromed  
 3000K/4000K/6000K



● **LPL251**

material: aluminium  
CREE LED 12W / WW  
Ra85 / 1464lm  
incl. power supply  
IP20 / class I / CE  
Acrylic diffuser  
Stainless steel base  
3000K/4000K/6000K




● *LPL214-BK*

material: aluminium  
Acrylic diffuser  
LED 42X3W / WW  
Ra85 / 7140lm  
incl. power supply  
IP20 / class I / CE  
Anodized black  
3000K/4000K/6000K











● **LPL212-BK**

material: aluminium  
 Acrylic diffuser  
 LED 12X3W / WW  
 Ra85 / 2040lm  
 incl. power supply  
 IP20 / class I / CE  
 Anodized black  
 3000K/4000K/6000K




● **LPL213-BK**

material: aluminium  
 Acrylic diffuser  
 LED 24X3W / WW  
 Ra85 / 4080lm  
 incl. power supply  
 IP20 / class I / CE  
 Anodized black  
 3000K/4000K/6000K




● **LPL214-WT**


material: aluminium  
Acrylic diffuser  
LED 42X3W / WW  
Ra85 / 7140lm  
incl. power supply  
IP20 / class I / **CE**  
White painting  
3000K/4000K/6000K




● **LPL212-WT**  
 material: aluminium  
 Acrylic diffuser  
 LED 12X3W / WW  
 Ra85 / 2040lm  
 incl. power supply  
 IP20 / class I / **CE**  
 White painting  
 3000K/4000K/6000K



● **LPL213-BK**  
 material: aluminium  
 Acrylic diffuser  
 LED 24X3W / WW  
 Ra85 / 4080lm  
 incl. power supply  
 IP20 / class I / **CE**  
 White painting  
 3000K/4000K/6000K

**LPL243**

material : aluminium  
CREE LED 6x3W / WW  
Ra85 / 1020lm  
incl. power supply  
IP20 / class I / CE  
Acrylic diffuser  
Stainless steel base  
3000K/4000K/6000K



● **LPL244**


material : aluminium  
CREE LED 9x3W / WW  
Ra85 / 1530lm  
incl. power supply  
IP20 / class I / CE  
Acrylic diffuser  
Stainless steel base  
3000K/4000K/6000K












● **LPL245**

material: aluminium  
CREE LED 9x3W / WW  
Ra85 / 1530lm  
incl. power supply  
IP20 / class I / **CE**  
Acrylic diffuser  
Stainless steel base  
3000K/4000K/6000K




● **LPL246**

material: aluminium  
CREE LED 18x3W / WW  
Ra85 / 3060lm  
incl. power supply  
IP20 / class I / **CE**  
Acrylic diffuser  
Stainless steel base  
3000K/4000K/6000K




● **LPL252**

material: aluminium  
SMD 24W / WW  
Ra80 / 2000lm  
incl. power supply  
IP20 / class I /  $\text{C}\epsilon$   
painted black  
3000K/4000K/6000K




● **LPL253**

material: aluminium  
SMD 30W / WW  
Ra80 / 3000lm  
incl. power supply  
IP20 / class I /  $\text{C}\epsilon$   
painted black  
3000K/4000K/6000K




● **LPL254**

material: aluminium  
SMD 36W / WW  
Ra80 / 3600lm  
incl. power supply  
IP20 / class I /  $\text{C}\epsilon$   
painted black  
3000K/4000K/6000K




● **LPL255**

material: aluminium  
SMD 42W / WW  
Ra80 / 4200lm  
incl. power supply  
IP20 / class I /  $\text{C}\epsilon$   
painted black  
3000K/4000K/6000K



● **LPL256**

material: aluminium  
SMD 42+36+30W / WW  
Ra80 / 10800lm  
incl. power supply  
IP20 / class I /  $\text{C}\epsilon$   
painted black  
3000K/4000K/6000K



● **LPL279**

material: aluminium  
 crystal glass shade  
 SMD LED 10W / WW  
 Ra80 / 1000lm  
 incl. power supply  
 IP20 / class I / **CE**  
 chrome plated  
 3000K/4000K/6000K



● **LPL281**

material: aluminium  
 crystal glass shade  
 SMD LED 4W / WW  
 Ra80 / 400lm  
 incl. power supply  
 IP20 / class I / **CE**  
 chrome plated  
 3000K/4000K/6000K



● *LPL280*

material: aluminium  
crystal glass shade  
E27 socket  
Bulb not included  
IP20 / class I /  $\text{CE}$   
chrome plated



● *LPL282*

material: aluminium  
crystal glass shade  
E27 socket  
Bulb not included  
IP20 / class I /  $\text{CE}$   
chrome plated





### PAPER LANTERN SERIES


After visiting the imperial palace in Beijing in summer vacation, an idea comes to the designer's mind. He wants to display something traditional with a modern appearance and also one way that PASSUN can realize with its current production. One of the most traditional symbols of China is paper lantern, and that's the name of this series.

It looks like a paper lantern, however it is made from an extrusion of aluminium which is cut piece by piece, solid and opaque. This series gives you an association of soft and traditional paper lantern, but with a very metallic surface. This contrast makes dramatic effects.

- *LPL292-BK*  
material: aluminium  
E27 socket  
bulb not included  
IP20 / class I / CE  
Anodized black

- *LPL292-GD*  
anodized gold

- *LPL292-SL*  
anodized silver



*PAPER LANTERN SERIES*  
*E27 socket version*  
*lamp source replaceable*






### *LIGHT DROPS SERIES*

The most difficult part of this design is how to make fresh and new looking for the common shape and common finishing. The scale and size is very important. The designer simulated several sizes and scales in the computer with 3D drawings and also we made several prototypes with a 3D printer. By the way, now a 3D printer is becoming a very important tool for a design department. By using a 3D printer, we can see how the new things look and make the scale and size more precise, and before we can only do it in the computer.

Selected from several prototypes, we finally decided to produce the shape as the picture shows. The acrylic diffuser is not a hemisphere but more than that and there are lots of curves. A 10W LED makes the light very plump and, really like light drops.




● LPL273

material: steel  
acrylic diffuser  
SMD LED 70W / WW  
Ra80 / 7000lm  
incl. power supply  
IP20 / class I / **CE**  
white painting  
3000K/4000K/6000K



● LPL271

material: steel  
acrylic diffuser  
SMD LED 10W / WW  
Ra80 / 1000lm  
incl. power supply  
IP20 / class I / **CE**  
white painting  
3000K/4000K/6000K



● LPL272


material: steel  
acrylic diffuser  
SMD LED 30W / WW  
Ra80 / 3000lm  
incl. power supply  
IP20 / class I / **CE**  
white painting  
3000K/4000K/6000K



SINGLE DROP



THREE DROPS



● *LPL274-BK*

material: steel  
COB LED 5W / WW  
Ra80 / 430lm  
incl. power supply  
IP20 / class I / **CE**  
black painting  
2700K/3000K/4000K/6000K


● *LPL274-WT*

white painting



NETWORKS

Pendent  
Series









# NETWORKS

**This series are meant to give a even lighting effect in the circumstance like living room, dinning table, restaurant, while the lamp takes a attracting attention in the space. The basic unit is a square of 285mm by 285mm. We designed six basic models which is from 2x3 to 4x4 squares. Of coures customer can require any models with more squares, while they have larger applications like hotel lobby, big hollows and etc. Every characteristics of this series is well designed and considered. The light coming from the acrylic is bright but not dazzling. The slim body of the lamp creates a brisk space.**











# what we have in standard





# you can have more





code **LPL339-BK**

surface  
customizable



chrome plated



concrete grey paint  
similar to RAL7037

casing aluminum+steel / black painting / lamping cree 6W / Ra>80 / 420LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 grille size 285mm x 535mm 1.2meter cable / cable length customizable

code **LPL340-BK**

surface  
customizable




chrome plated



concrete grey paint  
similar to RAL7037

casing aluminum+steel / black painting / lamping cree 8W / Ra>80 / 560LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 grille size 285mm x 785mm 1.2meter cable / cable length customizable



code **LPL342-BK**

surface  
customizable



chrome plated



concrete grey paint  
similar to RAL7037

casing aluminum+steel / black painting / lamping cree 9W / Ra>80 / 630LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 535mm x 535mm 1.2meter cable / cable length customizable

code **LPL343-BK**

surface  
customizable



chrome plated



concrete grey paint  
similar to RAL7037

casing aluminum+steel / black painting / lamping cree 15W / Ra>80 / 1050LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 535mm x 1035mm 1.2meter cable / cable length customizable





code **LPL344-BK**

surface  
customizable



chrome plated



concrete grey paint  
similar to RAL7037

casing aluminum+steel / black painting / lamping cree 16W / Ra>80 / 1120LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20

grille size 785mm x 785mm 1.2meter cable / cable length customizable



code **LPL339-WT**

surface customizable  chrome plated  concrete grey paint similar to RAL7037

casing aluminum+steel / white painting / lamping cree 6W / Ra>80 / 420LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 grille size 285mm x 535mm 1.2meter cable / cable length customizable

code **LPL340-WT**

surface customizable  chrome plated  concrete grey paint similar to RAL7037

casing aluminum+steel / white painting / lamping cree 8W / Ra>80 / 560LM / acrylic diffuser / 2700K/**3000K**/4000K/6000K

installation     IP20 grille size 285mm x 785mm 1.2meter cable / cable length customizable



code **LPL341-WT**

surface customizable



chrome plated



concrete grey paint similar to RAL7037

casing aluminum+steel / white painting / lamping cree 10W / Ra>80 /700LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 285mm x 1035mm 1.2meter cable / cable length customizable

code **LPL343-WT**

surface customizable



chrome plated



concrete grey paint similar to RAL7037

casing aluminum+steel / white painting / lamping cree 15W / Ra>80 /1050LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation     IP20 grille size 535mm x 1035mm 1.2meter cable / cable length customizable







code **LPL342-WT**

surface  
customizable



chrome plated concrete grey paint  
similar to RAL7037

casing aluminum+steel / white painting / lamping cree 9W / Ra>80 / 630LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 grille size 535mm x 535mm 1.2meter cable / cable length customizable

code **LPL344-WT**

surface  
customizable




chrome plated concrete grey paint  
similar to RAL7037


casing aluminum+steel / white painting / lamping cree 16W / Ra>80 / 1120LM / acrylic diffuser / 2700K/3000K/4000K/6000K

installation IP20 grille size 785mm x 785mm 1.2meter cable / cable length customizable


# MEASUREMENTS FOR THE PENDENTS




LPL339




LPL340




LPL341





LPL342




LPL343



LPL344



# LUNA SERIES



THE NAME IS  
MEANINGLESS

WE JUST LIKE THE  
LAMP AND THE NAME





"ISN'T IT FUNNY  
HOW DAY BY DAY  
NOTHING CHANGES  
BUT WHEN YOU  
LOOK BACK  
EVERYTHING IS  
DIFFERENT."  
—C.S. LEWIS.



code **LPL336-GD**

surface customizable



chrome plated




concrete grey paint similar to RAL7037



white paint similar to RAL9003

casing aluminum+steel / black painting / anodized golden / lamping COB 3W / Ra>90 / 240LM / Beam 10/23/38 degree / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia40mm x60mm / the ring dia 300mm/1.6meter cable /cable length customizable



code **LPL337-GD**

surface customizable



chrome plated



concrete grey paint similar to RAL7037



white paint similar to RAL9003


casing aluminum+steel / black painting anodized golden

lamping COB 2X3W / Ra>90 / 480LM / Beam 10/23/38 degree / 2700K/3000K/4000K/5000K

installation    

IP20

lamp shade dia40mm x60mm / the ring 500X300mm/1.6meter cable /cable length customizable



code **LPL338-GD**

surface customizable



chrome plated



concrete grey paint similar to RAL7037



white paint similar to RAL9003

casing aluminum+steel / black painting / anodized golden / lamping COB 3X3W / Ra>90 / 720LM / Beam 10/23/38 degree / 2700K/3000K/4000K/5000K

installation     IP20 lamp shade dia40mm x60mm / the ring 700X300mm/1.6meter cable /cable length customizable






LPL336-SL



LPL337-SL




LPL338-SL




# MEASUREMENTS FOR THE PENDENTS


---




LPL336



LPL337



LPL338



Diabolo!!!




# play the light

We create this series with lots of fun. When I make a family trip to Beijing years ago, I always heard lots of buzz noisy from sky far away and had no idea what it is and where it coming from. There is a chance when I talk about my doubt to a local friend. He was laughing and explained the sound is coming from a kind of a toy named diabolo. And the next few days finally I saw it in real in a public park. There are lots of old people playing this kinds of thing with much much skill and having lots of fun. They wrap a strip over the middle of a wooden piece whose shape is like a Africa drum. Then they pull and push the strip the drum begin to rotate and faster and faster, There is much buzz noisy coming from the drum. I think it is wonderful things to master the skill and seeing the piece rotating delightfully. I decide to design a lamp to commemorate the happiness of the trip. This is where the Diabolo series coming from.







---

code [LPL335-BK](#) / [LPL335-WT](#)

casing Steel / black painting / white painting / lamping up LED 10W / Ra>80 / 2000LM / 2700K/~~3000K~~/4000K/6000K  
down LED 10W

installation     IP20 lamp shade dia220mm x 50mm 2meter cable / cable length customizable

---






---

code LPL335-GR / LPL335-YW

casing Steel / grey painting / yellow painting / lamping up LED 10W / Ra>80 / 2000LM / 2700K/3000K/4000K/6000K  
down LED 10W

installation     IP20 lamp shade dia220mm x 50mm 2meter cable / cable length customizable

---



---

code LPL335-RD / LPL335-GN


casing Steel / red painting / green painting / lamping up LED 10W / Ra>80 / 2000LM / 2700K/3000K/4000K/6000K  
down LED 10W

installation     IP20 lamp shade dia220mm x 50mm 2meter cable / cable length customizable

---

# MEASUREMENTS FOR THE PENDENTS

---



LPL229

---