

LEGEND DISTRIBUTION



Tel : 8417-7117

Email: info@legenddistributioncr.com

www.legenddistributioncr.com





**It makes
life safer**

Tel : 8417-7117

Email: info@legenddistributioncr.com




BUCKLED RUBBER TILES







Lock design, easy to disassemble, buckled edge close together The connection is not easy to shift, not easy to tilt, with good elasticity, high strength can provide you with a comfortable foot environment.




PRODUCT NAME	STYLE	SPECIFICATIONS	THICKNESS
Interlock Rubber Mat	Flat Fluted	500x500mm/1000x1000mm	15/20/25/30/35/40/45/50mm




Multi-functional
private training customized program





EDGE STRIP
CORNER PAD

Wear-resistant surface according to market demand customized, high wear coefficient High product stability, not easy to deformation, Good elasticity, good pressure absorption effect, flame retardant can be customized class B1, Easy to clean and takecare, It is the first choice in the field of life protection or interior materials for indoor



PRODUCT NAME

Protective Rubber Flooring Tile/Landing Edge

SPECIFICATIONS



500mmX150mm

THICKNESS

15/20/25/30/35/40/45/50mm

INTERLOCKING RUBBER MATS


It is composed of high density wear-resisting surface layer and elastic sound insulation bottom layer, interlocking tooth design, can be arbitrarily assembled; Wear-resistant, anti-skid, sound insulation effect up to the national building sound insulation improvement standards; Widely used in various places with high requirements for sound insulation and shock absorption.



PRODUCT NAME	SPECIFICATIONS	EPDM CONTENT	THICKNESS
Puzzled Rubber Flooring Tile	500x500mm 1000x1000mm	15% / 50% / 70%	8/10/12/15/20mm

INTERLOCKING MAT


Light and soft, give better touch feeling and protection, also easy to disassemble and store. Bright colors, more aesthetic, tasteless and environmentally friendly, home decoration or indoor use of skin-friendly without any worries; Different from traditional products, it has the high strength wear-resisting surface layer, not easy to damage and more durable.



RUBBER ROLLS

Excellent toughness, good wear resistance, long service life, rich color, good overall effect, is the current sports and life protection ground materials preference.


PRODUCT NAME	WIDTH	EPDM CONTENT	THICKNESS
Rubber flooring roll	1/1.25m	15% / 50% / 70% /100%	3-12mm





OURDOOR RUBBER TILES

With impact-resistant surface, strong elastic layer and buffer layer, can absorb strong impact, the surface is not easy to damage; Porous, good drainage, skid resistance and wear resistance, no joints or interfaces on the surface, smooth surface, comfortable walking.



PRODUCT NAME

Outdoor floor mat

SPECIFICATIONS


500x500mm

THICKNESS

15/20/25/30/35/40/45/50mm




CY-1501




CY-1502




CY-1503



CY-1504




CY-1505




CY-1506




CY-1507




CY-1508



CY-1509




CY-1510



CY-1511




CY-1512




CY-1513




CY-5001




CY-7001



CY-7002



CY-7003



CY-7004



CY-7005




CY-7006




CY-7007




CY-7008



CY-7009




CY-7010




CY-7011




CY-1001



CY-1002




CY-1003



CY-1004



CY-1005



CY-1006




CY-SW01



CY-SW02



CY-SW03



CY-SW04



CY-SW05



CY-SW06







CIVILIZATION MATS

It is made of sound insulation rubber mat as the bottom layer, and the composite imitation wood grain PVC mat as the surface layer. Good elasticity, flexibility and comfort, sound insulation and noise reduction, convenient laying, fast construction, wood texture visual effect, highlight the "ideal life". It can be applied to home and commercial floors.



CYW-01



CYW-02



CYW-03

PRODUCT NAME

Civilization mat

SPECIFICATIONS

914.4x152.4mm

THICKNESS

(3+3) mm
(5+2) mm (锁扣型)



SOUND INSULATION RUBBER ROLLS

The sound insulation performance can meet the relevant standards of national building sound insulation improvement, and is an important part of "floating floor slab". It is installed between prefabricated floor and top floor to insulate the sound of ground, which is widely used in building real estate. As a sound insulation layer directly laid on the ground, flexible and shock absorption, stable performance, not easy to aging and deformation, can be used with the geothermal system.

PRODUCT NAME	COLOR	WIDTH	DENSITY	THICKNESS
Sound Insulation Rubber Roll		1m	600kg/m ³	3-20mm



BLIND MAT

Sensitive touch, corrosion resistance, loss resistance, super anti-slip, green environmental protection; Different from the traditional cement blind brick, high-quality rubber raw material, gives it good elasticity, flexibility and comfort, better damage absorption performance, so that the blind pedestrians are safer.






RUBBER GRANULES

Black rubber granule is with high polymer content of over 40%, meet laboSPORT /FIFA anti-aging standards, soft and delicate touch, not easy to make friction damage, absorb more damage; Light weight, the same laying conditions save more than 10% of the material, good weather resistance, widely used in sports venues construction, can be customized to the new BG standard and local standards.



COLORED EPDM RUBBER GRANULES

Colorized granules are made of EPDM rubber raw materials, environmental protection, good weather resistance, anti-ultraviolet, anti-corrosion and anti-mildew, stable performance, can be customized to the new GB standard.



BASKETBALL COURT SHOCK PAD







A ground solution that plays a good role in damping and noise reduction on the wooden floor basketball court. It has good pressure resistance and toughness, good impact resistance, good elasticity, effective shock absorption, good damage absorption performance, and effective protection against wooden floors. Protect players, reduce sports injuries, make sports more enjoyable, and effectively reduce noise and reduce noise pollution;The material is environmentally friendly, it is resistant to mildew and moisture, and it does not breed micro-bacteria. It is easy to lay and easy to construct. It is favored by the builders of the current wooden floor basketball court.






Products Introduction and Application

Item No.	Product Name	Picture	Material	Specification	Color	Character	Area Application
1	Protective Rubber Flooring / Landing Edge / Corner Pad		Black SBR + EPDM flecks	Size: 50cmx50cm, 1mx1m Thickness: 1.5cm, 2cm, 2.5cm, 3cm, 3.5cm, 4cm, 4.5cm, 5cm		Wear-resistant surface layer; Not easy for deformation; Good elasticity, good shock absorption effect; Easy to clean and maintain.	fitness center, playground, kindergarten, school, Senior Citizen Activity Center, Shooting hall, swimming hall, skating rink
2	Buckled Rubber Tile		Black SBR + EPDM flecks			Installed and removed at will, not easy for translation and upwarp.	fitness center, indoor playground, kindergarten, home fitness room
3	Interlocking Rubber Mat		EPDM Black SBR + EPDM flecks, foamed rubber bottom	Size: 50cmx50cm, 1mx1m Thickness: 1.5cm, 2cm, 2.5cm		Interlock design, use as you like. Wear-resistant and anti-slip, sound insulation.	gym, home fitness room, kindergarten, entertainment place and shop
4	Rubber Roll		EPDM Black SBR + EPDM flecks	Size: 1m/1.25m wide Thickness: 3-12mm		Excellent toughness, good wear resistance, with long service life; good intirety effect.	Gym, library, kindergarten, boat, KTV
5	Sound Insulation Rubber Roll/Mat		Foamed SBR rubber	Width: 1m Thickness: 3mm-20mm Density: 550kg/m³ - 650kg/m³		flexible, shockproof, with stable performance, not easy to age and deform, can be used together with geothermal system.	An important part of the "Floating Floor System". Installed between the prefabricated floor and the surface flooring to give the whole floor a better sound insulation effect. construction sound insulation.

6	Civilization Mat		PVC SBR Top PVC + Foamed SBR rubber bottom	Size: 91.44cmx15.24cm Thickness: 3mm +3mm / 3mm+5mm		Good elasticity, flexibility and comfort, good vision with wood grain, sound insulation and noise reduction; Easy to lay, quick and easy to manage.	indoor places, such as hotel, home, office, dance room, library, shopping mall
7	Rubber Shock Pad		customized	customized	Above all	Good pressure resistance, good elasticity, effective shock absorption, reduce sports injuries, reduce noise pollution.	A ground solution that plays a good role in shockproof and noise reduction under the wooden floor basketball court. Mainly used for basketball court.
8	Artificial Grass Cushion		SBR SBR rubber	Size: 50cmx50cm Thickness: customized	As the pictures showing at the left side: multi-color	similar to the real grass touch, good compressive resistance, effective rebound, strong toughness, simple for installation.	Approach to the real grass, can play a better protection role in the stadium solution. Mainly used for football field.
9	Blind Track Mat		SBR SBR rubber	customized	customized	Sensitive touch, corrosion resistant, wear resistant, anti- slip, good elastics, flexible and comfortable	Mainly used for Blind Track.
10	Pathway Rubber Brick		SBR SBR rubber	Size: 50cmx50cm Thickness: 2cm, 2.5cm, 3cm, 3.5cm, 4cm, 4.5cm, 5cm	customized	Flexible and shock- absorbing, reduces knee fatigue and protects feet, skidproof, strong injury absorption.	Specially designed for the safety of outdoor footpaths, such as parks, communities and amusement parks.

11	Rubber Granules	 <p>Black Rusty Green</p> <p>Yellow Blue White</p>	SBR / EPDM	1-3mm / 2-4mm	Mainly as the pictures showing at the left side, or customized color.	<p>The black granules have over 40% high gel content, labosport/FIFA anti-aging standard; light proportion, can save material by more than 10%. Good weather resistance. EPDM granules is anti-UV, anti-corrosion and mildew, with stable performance.</p>	Widely used in sports field construction. Such as soccer field grass filling, running track base. Playground, kindergarten.
12	Products Customization	customized	customized	customized	customized	<p>Reversible high elasticity, Cushioning and shock absorption, damage absorption, good wear-resistance and anti-slip, sound absorption, sound insulation</p>	Any places that need to make it anti-slip, shock-absorption and sound insulation.